

KANGA 2 SERIES COMPACT SKID STEER LOADERS

ATTACHMENTS



ADVANCED ENGINEERING TURNING HARD WORK INTO EASY BUSINESS

KANGA 2 SERIES COMPACT SKID STEER LOADERS

BUCKETS


STANDARD BUCKET OK11630

0.08m³ Open shape helps prevent sticky materials from clogging. Volume sized to rated load capacity cannot be exceeded when brim filled with heavy materials, wet sand or gravel. Ideal for everyday use, shifting sand and soil, clean up and backfill.



4 IN 1 BUCKET OK60063

0.1m³ Enables front blading, back blading, plus all the advantages of a regular bucket. Open jaws to dump at full height. Use jaws for stump, post and tent peg pulling, lifting, placing rail road ties and rocks, broken tree limbs & broken concrete etc.



MANURE BUCKET OK65004

0.22m³ Designed for light material or manure, feed lots and poultry farmers. Individually controlled hydraulic wings easily reach under feed bins and inaccessible places.



MULCH BUCKET OK50135

0.16m³ For handling bulky, light materials such as bark chips, mulch and sawdust, quickly and easily. Straight cutting edge to scrape floors clean. Use in horse stables, stud farms and feed lots etc.



RUBBLE BUCKET OK50191

Ideal for preparing difficult rocky soil for sod and turf. For removal of unwanted rocks and sticks, leaving soil behind. Makes light work of the most difficult site conditions.



GRAPPLE BUCKET OK50189

The Grapple attaches to Rubble Bucket. More effective when managing bushy tree limbs, straw, hay, etc. Hydraulically operated.



BRUSHES

BUCKET BROOM OK50303

Clean up all manner of debris and leave your construction site clean. Self loading bucket, ideal for side walks, parking lots, factories, industrial sites and feed lots etc. Reverse rotation to push snow and gravel. Broom swings away automatically as bucket is emptied.



POWER HEAD

HI TORQUE POWER HEAD

OK30401 Driving head for augers (150mm - 500mm) as well as mixer bowl.



MIXER BOWL OK50001

Convert Kanga into a mobile concrete mixer. No more hauling materials to the mixer or concrete to the job. Easily lifting and placing concrete over low walls or into post holes etc. Requires an Auger Power Head attachment (OK30401).



AUGER EXTENSION L130881

Fits between power head and auger to increase digging depth.




AUGERS	150mm (6")	L130810
	230mm (9")	L130850
	300mm (12")	L130890
	350mm (14")	L130894
Tree planting	500mm (20")	L130900



TRENCHERS

TRENCHER OK42025

600mm maximum depth, 100mm width. Ideal for irrigation, garden lighting, drainage trenches.



LAWN & GARDEN CARE

LAWN AERATOR OK50405

For aerating or coring lawns for improved growth and lawn quality. 660mm (26") wide.



TURF CUTTER OK50180

With only one moving part (front roller) is virtually maintenance free. The front roller provides stability to set required cutting depth ensuring easy effortless control for removing old turf, transplanting sod, removing turf prior to trenching and replacing it when trenching is completed. 300mm (12") wide.



KANGA 2 SERIES COMPACT SKID STEER LOADERS

LAWN & GARDEN CARE (cont'd)

CARRYALL LEVELLER OK50110

900mm (35") Wide

For transporting bulky items, paving tiles, cement bags, nursery plants, sod, turf and fence palings. Ideal for preparing top soil for sod or turf laying and levelling bedding sand for pavers.



HYDRAULIC ANGLE BLADE

OK85003 900mm (36") Wide

Backfill Blade ideal for backfilling trenches, pushing loose soil, feed lot clean-out. Fingertip hydraulic controlled side shift tilts blade from left to right.



ROTARY TILLER OK83701

750mm (30") Wide

Heavy duty tiller turns the toughest ground into beautiful garden bed, sod and turf bed preparation. Cutting depth 150mm (6") deep



WOOD CHIPPER OK29003

65mm chipping capacity. Produces natural free compost and or mulch. Self feeding action. Solid housing construction of 5mm steel plate. One infeed chute with large opening at convenient operating height.



MULTI TOOLS

TOW HITCH OK30404

Use your Kanga Loader to manoeuvre caravans, trailers and boat trailers in the most confined parking lots, back yards or drive ways. Allows a zero turning radius for most trailers. (OK5061).



RIPPER/HOOK

OK30403

Ideal for ripping hard ground before digging with bucket. Also able to be used as a lifting hook.



SPECIALIST

ROCK BREAKER OK87024

Rock Breaker ideal for breaking up pavement, sidewalks, driveways. Ideal for internal and external demolition. Must be used with Hydraulic oil cooler for extended periods of use. Eliminates Hand Arm Vibration (H.A.V.)



VINYL STRIPPER OK50220

Quickest way to remove floor coverings including vinyl, carpet, wooden floor and even scraping the adhesive used.



BUCKETS

STANDARD BUCKET	OK11630	Volume 0.08m ³ /2.8ft ³	Width 800mm/31.5"	Height 390mm	Weight 38kg/84lbs	
4 IN 1 BUCKET	OK60063	Volume 0.01m ³ /3ft ³	Width 800mm/31.5"	Jaw Opening 480mm/18"	Jaw Closing Force 1100 kg/2420lbs	Weight 84kg/185lbs
MULCH BUCKET	OK50135	Volume Double Standard Bucket	Width 815mm/32"	Weight Alone 16kg/35lbs		Weight With Bucket 54kg/119lbs
MANURE BUCKET	OK65004	Volume 0.22m ³ /7.8ft ³	Width 1060mm/41"	Length 1140mm/42"	Wing Opening 90° both sides	Weight 114kg/250lbs
RUBBLE BUCKET	OK50191	Width 800mm/31"	Tyre Length 550mm	Tyre Spacing 60mm	Weight 69kg/132lbs	
GRAPPLE BUCKET	OK50189	Width 800mm/31"	Tyre Length 550mm/22"	Tyre Spacing 60mm/2.4"	Weight 118kg/260lbs	

BRUSHES

BUCKET BROOM	OK50303	Volume 0.05m ³ /1.8ft ³	Length 860mm/34"	Brush Diameter 400mm/16"	Brush Width 790mm/31.5"	Weight 90kg/198lbs
--------------	---------	--	---------------------	-----------------------------	----------------------------	-----------------------

POWER HEAD

STANDARD POWER HEAD	OK30401	Torque 1320Nm/975ft lbs	Variable Speed 0 - 50rpm	Fwd - Reverse Fingertip controls	Weight 37kg/82lbs	
MIXER BOWL	OK50001	Volume 0.064m ³ /2.2ft ³	Length 650mm/26"	Diameter 600mm/24"	Fwd - Reverse Fingertip controls	Weight empty 18kg/40lbs
AUGER EXTENSION	L130881	Length 495mm/20"		Weight 9kg/20lbs		


SPECIFICATIONS

KANGA 2 SERIES COMPACT SKID STEER LOADERS

SPECIFICATIONS

POWER HEAD (cont'd)				
AUGERS	L130810	Diameter 150mm/6"	Length 1000mm	Weight 12kg
	L130850	230mm/9"	1000mm	18kg
	L130890	300mm/12"	1000mm	17kg
	L130894	350mm/14"	1000mm	14kg
	L130900	350mm/20"	1000mm	42kg
TRENCHERS				
TRENCHER	OK42025	Dig Depth 600mm/24"	Cutting width 100mm/4"	Weight 86kg/189lbs
LAWN & GARDEN CARE				
LAWN AERATOR	OK50405	Width 660mm/26"	Dig Depth 130mm/5"	Weight 64kg/140lbs
TURF CUTTER	OK50180	Cutting width 300mm/12"	Weight 74kg/162lbs	
CARRYALL LEVELLER	OK50110	Width 900mm/35"	Height 380mm/15"	Tyre Length 575mm/23"
HYDRAULIC ANGLE BLADE	OK85003	Width 1000mm/39"		Weight 75kg/166lbs
ROTARY TILLER	OK83701	Cutting width 650mm/26"	Cutting depth 100mm/4"	Fwd - Rev Fingertip controls
WOODCHIPPER	OK29003	Chipping Capacity up to 65mm		
MULTI-TOOLS				
TOW HITCH	OK30404	Tow ball diameter 50mm/2" - 58mm/2.25"	Lifting Capacity 100kg/220lbs	Weight 6kg/13lbs
RIPPER/HOOK	OK30403	Length 250mm/10"	Weight 2.6kg/5.7lbs	
SPECIALIST				
ROCK BREAKER Atlas Copco SB52	OK87124	Tool diameter 40mm	Impact Frequency 720 - 1800bpm	Weight 82kg/180lbs
VINYL STRIPPER	OK50220			

CHANGE THEM FAST!



Changing attachments takes time... and time is money. There's less downtime with Kanga attachments because all of them feature the Kanga-designed **universal quick hitch** to make attachment changes easy and in only one or two minutes.



New attachments are constantly being added to the range.

Please check with your Kanga dealer or visit our website for information, updates and availability.

ADVANCED ENGINEERING TURNING HARD WORK INTO EASY BUSINESS

Australian designed, Australian made, Australian owned. For detailed attachment specifications, visit www.kanga-loader.com

For further information or details of your nearest Kanga dealer – Phone **1800 243 643** or email: sales@kanga-loader.com

AUSTRALIA Brisbane • Gold Coast • Sydney • Canberra • Melbourne • Adelaide • Perth | NEW ZEALAND | UNITED KINGDOM | USA | SOUTH AFRICA